NOTE: All projects requiring rehabilitation must meet the following requirements:

- 1. Plans and specifications prepared by an accredited Architect;
- 2. A Capital Needs Assessment prepared by a third party (Architect, engineer, etc.) documenting the remaining useful life of all major systems and components outlined below.
 - If the remaining life of a component is less than the affordability period, the component must be repaired or replaced; an adequate replacement reserve must be established and underwriting must include regular payments to the reserve account.
- 3. DHCD Construction staff must review prepared Plans and specifications against the Capital Needs Assessment along with a site inspection of the property to confirm all required rehabilitation work conforms with required mitigation outlined below.

Appendix A: Uniform Physical Condition Standards for Multifamily Housing Rehabilitation - Requirements for Site

| Inspectable Item | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|-------------------|--|----------------------|------------------------------|
| Fencing and Gates | Damaged/Falling/Leaning | Level 1 | Must be repaired or replaced |
| | Holes | Level 1 | Must be repaired or replaced |
| | Missing Sections | Level 1 | Must be repaired or replaced |
| Grounds | Erosion/Rutting Areas | Level 1 | Must be repaired or replaced |
| | Overgrown/Penetrating Vegetation | Level 1 | Must be repaired or replaced |
| | Ponding/Site Drainage | Level 1 | Must be repaired or replaced |
| Health & Safety | Air Quality - Sewer Odor Detected | Level 1 | Must be repaired or replaced |
| | Air Quality - Propane/Natural Gas/Methane Gas Detected | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Exposed Wires/Open Panels | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Water Leaks on/near Electrical Equipment | Level 1 | Must be repaired or replaced |
| | Flammable Materials - Improperly Stored | Level 1 | Must be repaired or replaced |
| | Garbage and Debris - Outdoors | Level 1 | Must be repaired or replaced |

| | Hazards - Other | Level 1 | Must be repaired or replaced |
|------------------------------|--|---------|------------------------------|
| | Hazards - Sharp Edges | Level 1 | Must be repaired or replaced |
| | Hazards - Tripping | Level 1 | Must be repaired or replaced |
| | Infestation - Insects | Level 1 | Must be repaired or replaced |
| | Infestation - Rats/Mice/Vermin | Level 1 | Must be repaired or replaced |
| Mailboxes/Project Signs | Mailbox Missing/Damaged | Level 1 | Must be repaired or replaced |
| | Signs Damaged | Level 1 | Must be repaired or replaced |
| Parking Lots/Driveways/Roads | Cracks | Level 1 | Must be repaired or replaced |
| | Ponding | Level 1 | Must be repaired or replaced |
| | Potholes/Loose Material | Level 1 | Must be repaired or replaced |
| | Settlement/Heaving | Level 1 | Must be repaired or replaced |
| Play Areas and Equipment | Damaged/Broken Equipment | Level 1 | Must be repaired or replaced |
| | Deteriorated Play Area Surface | Level 1 | Must be repaired or replaced |
| Refuse Disposal | Broken/Damaged Enclosure-Inadequate Outside Storage Space | Level 1 | Must be repaired or replaced |
| Retaining Walls | Damaged/Falling/Leaning | Level 1 | Must be repaired or replaced |
| Storm Drainage | Damaged/Obstructed | Level 1 | Must be repaired or replaced |
| Walkways/Steps | Broken/Missing Hand Railing | Level 1 | Must be repaired or replaced |
| | Cracks/Settlement/Heaving | Level 1 | Must be repaired or replaced |
| | Spalling/Exposed rebar | Level 1 | Must be repaired or replaced |

Appendix A: Uniform Physical Condition Standards for Multifamily Housing Rehabilitation – Requirements for Building Exterior

| Inspectable Item | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|-------------------|---|----------------------|------------------------------|
| Doors | Damaged Frames/Threshold/Lintels/Trim | Level 1 | Must be repaired or replaced |
| | Damaged Hardware/Locks | Level 1 | Must be repaired or replaced |
| | Damaged Surface (Holes/Paint/Rusting/Glass) | Level 1 | Must be repaired or replaced |
| | Damaged/Missing Screen/Storm/Security Door | Level 1 | Must be repaired or replaced |
| | Deteriorated/Missing Caulking/Seals | Level 1 | Must be repaired or replaced |
| | Missing Door | Level 1 | Must be repaired or replaced |
| Fire Escapes | Blocked Egress/Ladders | Level 1 | Must be repaired or replaced |
| | Visibly Missing Components | Level 1 | Must be repaired or replaced |
| Foundations | Cracks/Gaps | Level 1 | Must be repaired or replaced |
| | Spalling/Exposed Rebar | Level 1 | Must be repaired or replaced |
| Health and Safety | Electrical Hazards - Exposed Wires/Open Panels | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Water Leaks on/near Electrical Equipment | Level 1 | Must be repaired or replaced |
| | Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable | Level 1 | Must be repaired or replaced |
| | Emergency Fire Exits - Missing Exit Signs | Level 1 | Must be repaired or replaced |
| | Flammable/Combustible Materials - Improperly Stored | Level 1 | Must be repaired or replaced |
| | Garbage and Debris - Outdoors | Level 1 | Must be repaired or replaced |
| | Hazards - Other | Level 1 | Must be repaired or replaced |
| | Hazards - Sharp Edges | Level 1 | Must be repaired or replaced |
| | Hazards - Tripping | Level 1 | Must be repaired or replaced |
| | Infestation - Insects | Level 1 | Must be repaired or replaced |

| | Infestation - Rats/Mice/Vermin | Level 1 | Must be repaired or replaced |
|----------|--|---------|------------------------------|
| Lighting | Broken Fixtures/Bulbs | Level 1 | Must be repaired or replaced |
| Roofs | Damaged Soffits/Fascia | Level 1 | Must be repaired or replaced |
| | Damaged Vents | Level 1 | Must be repaired or replaced |
| | Damaged/Clogged Drains | Level 1 | Must be repaired or replaced |
| | Damaged/Torn Membrane/Missing Ballast | Level 1 | Must be repaired or replaced |
| | Missing/Damaged Components from Downspout/Gutter | Level 1 | Must be repaired or replaced |
| | Missing/Damaged Shingles | Level 1 | Must be repaired or replaced |
| | Ponding | Level 1 | Must be repaired or replaced |
| Walls | Cracks/Gaps | Level 1 | Must be repaired or replaced |
| | Damaged Chimneys | Level 1 | Must be repaired or replaced |
| | Missing/Damaged Caulking/Mortar | Level 1 | Must be repaired or replaced |
| | Missing Pieces/Holes/Spalling | Level 1 | Must be repaired or replaced |
| | Stained/Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| Windows | Broken/Missing/Cracked Panes | Level 1 | Must be repaired or replaced |
| | Damaged Sills/Frames/Lintels/Trim | Level 1 | Must be repaired or replaced |
| | Damaged/Missing Screens | Level 1 | Must be repaired or replaced |
| | Missing/Deteriorated Caulking/Seals/Glazing Compound | Level 1 | Must be repaired or replaced |
| | Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| | Security Bars Prevent Egress | Level 1 | Must be repaired or replaced |

Appendix A: Uniform Physical Condition Standards for Multifamily Housing Rehabilitation – Requirements for Building Systems

| Inspectable Item | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|-------------------|---|----------------------|------------------------------|
| Domestic Water | Leaking Central Water Supply | Level 1 | Must be repaired or replaced |
| | Missing Pressure Relief Valve | Level 1 | Must be repaired or replaced |
| | Rust/Corrosion on Heater Chimney | Level 1 | Must be repaired or replaced |
| | Water Supply Inoperable | Level 1 | Must be repaired or replaced |
| Electrical System | Blocked Access/Improper Storage | Level 1 | Must be repaired or replaced |
| | Burnt Breakers | Level 1 | Must be repaired or replaced |
| | Evidence of Leaks/Corrosion | Level 1 | Must be repaired or replaced |
| | Frayed Wiring | Level 1 | Must be repaired or replaced |
| | Missing Breakers/Fuses | Level 1 | Must be repaired or replaced |
| | Missing Outlet Covers | Level 1 | Must be repaired or replaced |
| Elevators | Not Operable | Level 1 | Must be repaired or replaced |
| Emergency Power | Auxiliary Lighting Inoperable (if applicable) | Level 1 | Must be repaired or replaced |
| Fire Protection | Missing Sprinkler Head | Level 1 | Must be repaired or replaced |
| | Missing/Damaged/Expired Extinguishers | Level 1 | Must be repaired or replaced |
| Health & Safety | Air Quality - Mold and/or Mildew Observed | Level 1 | Must be repaired or replaced |
| | Air Quality - Propane/Natural Gas/Methane Gas Detected | Level 1 | Must be repaired or replaced |
| | Air Quality - Sewer Odor Detected | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Exposed Wires/Open Panels | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Water Leaks on/near Electrical Equipment | Level 1 | Must be repaired or replaced |
| | Elevator - Tripping | Level 1 | Must be repaired or replaced |

| | Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable | Level 1 | Must be repaired or replaced |
|---------------------|--|---------|------------------------------|
| | Emergency Fire Exits - Missing Exit Signs | Level 1 | Must be repaired or replaced |
| | Flammable Materials - Improperly Stored | Level 1 | Must be repaired or replaced |
| | Garbage and Debris - Indoors | Level 1 | Must be repaired or replaced |
| | Hazards - Other | Level 1 | Must be repaired or replaced |
| | Hazards - Sharp Edges | Level 1 | Must be repaired or replaced |
| | Hazards – Tripping Hazards | Level 1 | Must be repaired or replaced |
| | Infestation - Insects | Level 1 | Must be repaired or replaced |
| | Infestation - Rats/Mice/Vermin | Level 1 | Must be repaired or replaced |
| HVAC | Boiler/Pump Leaks | Level 1 | Must be repaired or replaced |
| | Fuel Supply Leaks | Level 1 | Must be repaired or replaced |
| | General Rust/Corrosion | Level 1 | Must be repaired or replaced |
| | Misaligned Chimney/Ventilation System | Level 1 | Must be repaired or replaced |
| Roof Exhaust System | Roof Exhaust Fan(s) Inoperable | Level 1 | Must be repaired or replaced |
| Sanitary System | Broken/Leaking/Clogged Pipes or Drains | Level 1 | Must be repaired or replaced |
| | Missing Drain/Cleanout/Manhole Covers | Level 1 | Must be repaired or replaced |

Appendix A: Uniform Physical Condition Standards for Multifamily Housing Rehabilitation – Requirements for Common Areas

| Inspectable Item Location | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|----------------------------------|--|----------------------|------------------------------|
| Basement/Garage/Carport | Baluster/Side Railings - Damaged | Level 1 | Must be repaired or replaced |
| Closet/Utility/Mechanical | Cabinets - Missing/Damaged | Level 1 | Must be repaired or replaced |
| Community Room | Call for Aid - Inoperable | Level 1 | Must be repaired or replaced |
| Halls/Corridors/Stairs | Ceiling - Holes/Missing Tiles/Panels/Cracks | Level 1 | Must be repaired or replaced |
| Kitchen | Ceiling - Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| Laundry Room | Ceiling - Water Stains/Water Damage/Mold/Mildew | Level 1 | Must be repaired or replaced |
| Lobby | Countertops - Missing/Damaged | Level 1 | Must be repaired or replaced |
| Office | Dishwasher/Garbage Disposal - Inoperable | Level 1 | Must be repaired or replaced |
| Other Community Spaces | Doors - Damaged Frames/Threshold/Lintels/Trim | Level 1 | Must be repaired or replaced |
| Patio/Porch/Balcony | Doors - Damaged Hardware/Locks | Level 1 | Must be repaired or replaced |
| Restrooms | Doors - Damaged Surface (Holes/Paint/Rust/Glass) | Level 1 | Must be repaired or replaced |
| Storage | Doors - Damaged/Missing Screen/Storm/Security Door | Level 1 | Must be repaired or replaced |
| | Doors - Deteriorated/Missing Seals (Entry Only) | Level 1 | Must be repaired or replaced |
| | Doors - Missing Door | Level 1 | Must be repaired or replaced |
| | Dryer Vent - Missing/Damaged/Inoperable | Level 1 | Must be repaired or replaced |
| | Electrical - Blocked Access to Electrical Panel | Level 1 | Must be repaired or replaced |
| | Electrical - Burnt Breakers | Level 1 | Must be repaired or replaced |
| | Electrical - Evidence of Leaks/Corrosion | Level 1 | Must be repaired or replaced |
| | Electrical - Frayed Wiring | Level 1 | Must be repaired or replaced |
| | Electrical - Missing Breakers | Level 1 | Must be repaired or replaced |

| Inspectable Item Location | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|----------------------------------|---|----------------------|------------------------------|
| | Electrical - Missing Covers | Level 1 | Must be repaired or replaced |
| | Floors - Bulging/Buckling | Level 1 | Must be repaired or replaced |
| | Floors - Floor Covering Damaged | Level 1 | Must be repaired or replaced |
| | Floors - Missing Floor/Tiles | Level 1 | Must be repaired or replaced |
| | Floors - Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| | Floors - Rot/Deteriorated Subfloor | Level 1 | Must be repaired or replaced |
| | Floors - Water Stains/Water Damage/Mold/Mildew | Level 1 | Must be repaired or replaced |
| | GFI - Inoperable | Level 1 | Must be repaired or replaced |
| | Graffiti | Level 1 | Must be repaired or replaced |
| | HVAC - Convection/Radiant Heat System Covers Missing/Damaged | Level 1 | Must be repaired or replaced |
| | HVAC - General Rust/Corrosion | Level 1 | Must be repaired or replaced |
| | HVAC - Inoperable | Level 1 | Must be repaired or replaced |
| | HVAC - Misaligned Chimney/Ventilation System | Level 1 | Must be repaired or replaced |
| | HVAC - Noisy/Vibrating/Leaking | Level 1 | Must be repaired or replaced |
| | Lavatory Sink - Damaged/Missing | Level 1 | Must be repaired or replaced |
| | Lighting - Missing/Damaged/Inoperable Fixture | Level 1 | Must be repaired or replaced |
| | Mailbox - Missing/Damaged | Level 1 | Must be repaired or replaced |
| | Outlets/Switches/Cover Plates - Missing/Broken | Level 1 | Must be repaired or replaced |
| | Pedestrian/Wheelchair Ramp | Level 1 | Must be repaired or replaced |
| | Plumbing - Clogged Drains | Level 1 | Must be repaired or replaced |
| | Plumbing - Leaking Faucet/Pipes | Level 1 | Must be repaired or replaced |

| Inspectable Item Location | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|----------------------------------|---|----------------------|------------------------------|
| | Range Hood /Exhaust Fans - Excessive Grease/Inoperable | Level 1 | Must be repaired or replaced |
| | Range/Stove - Missing/Damaged/Inoperable | Level 1 | Must be repaired or replaced |
| | Refrigerator - Damaged/Inoperable | Level 1 | Must be repaired or replaced |
| | Restroom Cabinet - Damaged/Missing | Level 1 | Must be repaired or replaced |
| | Shower/Tub - Damaged/Missing | Level 1 | Must be repaired or replaced |
| | Sink - Missing/Damaged | Level 1 | Must be repaired or replaced |
| | Smoke Detector - Missing/Inoperable | Level 1 | Must be repaired or replaced |
| | Stairs - Broken/Damaged/Missing Steps | Level 1 | Must be repaired or replaced |
| | Stairs - Broken/Missing Hand Railing | Level 1 | Must be repaired or replaced |
| | Ventilation/Exhaust System - Inoperable | Level 1 | Must be repaired or replaced |
| | Walls - Bulging/Buckling | Level 1 | Must be repaired or replaced |
| | Walls - Damaged | Level 1 | Must be repaired or replaced |
| | Walls - Damaged/Deteriorated Trim | Level 1 | Must be repaired or replaced |
| | Walls - Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| | Walls - Water Stains/Water Damage/Mold/Mildew | Level 1 | Must be repaired or replaced |
| | Water Closet/Toilet - Damaged/Clogged/Missing | Level 1 | Must be repaired or replaced |
| | Windows - Cracked/Broken/Missing Panes | Level 1 | Must be repaired or replaced |
| | Windows - Damaged Window Sill | Level 1 | Must be repaired or replaced |
| | Windows - Inoperable/Not Lockable | Level 1 | Must be repaired or replaced |
| | Windows - Missing/Deteriorated Caulking/Seals/Glazing Compound | Level 1 | Must be repaired or replaced |
| | Windows - Peeling/Needs Paint | Level 1 | Must be repaired or replaced |

| Inspectable Item Location | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|----------------------------------|---|----------------------|------------------------------|
| | Windows - Security Bars Prevent Egress | Level 1 | Must be repaired or replaced |
| Health & Safety | Air Quality - Mold and/or Mildew Observed | Level 1 | Must be repaired or replaced |
| | Air Quality - Propane/Natural Gas/Methane Gas Detected | Level 1 | Must be repaired or replaced |
| | Air Quality - Sewer Odor Detected | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Exposed Wires/Open Panels | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Water Leaks on/near Electrical Equipment | Level 1 | Must be repaired or replaced |
| | Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable | Level 1 | Must be repaired or replaced |
| | Emergency Fire Exits - Missing Exit Signs | Level 1 | Must be repaired or replaced |
| | Flammable/Combustible Materials - Improperly Stored | Level 1 | Must be repaired or replaced |
| | Garbage and Debris - Indoors | Level 1 | Must be repaired or replaced |
| | Garbage and Debris - Outdoors | Level 1 | Must be repaired or replaced |
| | Hazards - Other | Level 1 | Must be repaired or replaced |
| | Hazards - Sharp Edges | Level 1 | Must be repaired or replaced |
| | Hazards - Tripping | Level 1 | Must be repaired or replaced |
| | Infestation - Insects | Level 1 | Must be repaired or replaced |
| | Infestation - Rats/Mice/Vermin | Level 1 | Must be repaired or replaced |
| Pools and Related Structures | Fencing - Damaged/Not Intact | Level 1 | Must be repaired or replaced |
| Trash Collection Areas | Chutes - Damaged/Missing Components | Level 1 | Must be repaired or replaced |

Appendix A: Uniform Physical Condition Standards for Multifamily Housing Rehabilitation – Requirements for Unit

| Inspectable Item | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|------------------------------|---|----------------------|------------------------------|
| Bathroom | Bathroom Cabinets - Damaged/Missing | Level 1 | Must be repaired or replaced |
| | Lavatory Sink - Damaged/Missing | Level 1 | Must be repaired or replaced |
| | Plumbing - Clogged Drains, Faucets | Level 1 | Must be repaired or replaced |
| | Plumbing - Leaking Faucet/Pipes | Level 1 | Must be repaired or replaced |
| | Shower/Tub - Damaged/Missing | Level 1 | Must be repaired or replaced |
| | Ventilation/Exhaust System – Absent/Inoperable | Level 1 | Must be repaired or replaced |
| | Water Closet/Toilet - Damaged/Clogged/Missing | Level 1 | Must be repaired or replaced |
| Call-for-Aid (if applicable) | Inoperable | Level 1 | Must be repaired or replaced |
| Ceiling | Bulging/Buckling/Leaking | Level 1 | Must be repaired or replaced |
| | Holes/Missing Tiles/Panels/Cracks | Level 1 | Must be repaired or replaced |
| | Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| | Water Stains/Water Damage/Mold/Mildew | Level 1 | Must be repaired or replaced |
| Doors | Damaged Frames/Threshold/Lintels/Trim | Level 1 | Must be repaired or replaced |
| | Damaged Hardware/Locks | Level 1 | Must be repaired or replaced |
| | Damaged/Missing Screen/Storm/Security Door | Level 1 | Must be repaired or replaced |
| | Damaged Surface - Holes/Paint/Rusting/Glass/Rotting | Level 1 | Must be repaired or replaced |
| | Deteriorated/Missing Seals (Entry Only) | Level 1 | Must be repaired or replaced |
| | Missing Door | Level 1 | Must be repaired or replaced |
| Electrical System | Blocked Access to Electrical Panel | Level 1 | Must be repaired or replaced |
| | Burnt Breakers | Level 1 | Must be repaired or replaced |

| Inspectable Item | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|------------------|---|-----------------------------|------------------------------|
| | Evidence of Leaks/Corrosion | Level 1 | Must be repaired or replaced |
| | Frayed Wiring | Level 1 | Must be repaired or replaced |
| | GFI - Inoperable | Level 1 | Must be repaired or replaced |
| | Missing Breakers/Fuses | Level 1 | Must be repaired or replaced |
| | Missing Covers | Level 1 | Must be repaired or replaced |
| Floors | Bulging/Buckling | Level 1 | Must be repaired or replaced |
| | Floor Covering Damage | Level 1 | Must be repaired or replaced |
| | Missing Flooring Tiles | Level 1 | Must be repaired or replaced |
| | Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| | Rot/Deteriorated Subfloor | Level 1 | Must be repaired or replaced |
| | Water Stains/Water Damage/Mold/Mildew | Level 1 | Must be repaired or replaced |
| Health & Safety | Air Quality - Mold and/or Mildew Observed | Level 1 | Must be repaired or replaced |
| | Air Quality - Sewer Odor Detected | Level 1 | Must be repaired or replaced |
| | Air Quality - Propane/Natural Gas/Methane Gas Detected | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Exposed Wires/Open Panels | Level 1 | Must be repaired or replaced |
| | Electrical Hazards - Water Leaks on/near Electrical Equipment | Level 1 | Must be repaired or replaced |
| | Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable | Level 1 | Must be repaired or replaced |
| | Emergency Fire Exits - Missing Exit Signs | Level 1 | Must be repaired or replaced |
| | Flammable Materials - Improperly Stored | Level 1 | Must be repaired or replaced |
| | Garbage and Debris - Indoors | Level 1 | Must be repaired or replaced |
| | Garbage and Debris - Outdoors | Level 1 | Must be repaired or replaced |
| | Hazards - Other | Level 1 | Must be repaired or replaced |

| Inspectable Item | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|------------------|---|----------------------|------------------------------|
| | Hazards - Sharp Edges | Level 1 | Must be repaired or replaced |
| | Hazards - Tripping | Level 1 | Must be repaired or replaced |
| | Infestation - Insects | Level 1 | Must be repaired or replaced |
| | Infestation - Rats/Mice/Vermin | Level 1 | Must be repaired or replaced |
| Hot Water Heater | Misaligned Chimney/Ventilation System | Level 1 | Must be repaired or replaced |
| | Inoperable Unit/Components | Level 1 | Must be repaired or replaced |
| | Leaking Valves/Tanks/Pipes | Level 1 | Must be repaired or replaced |
| | Pressure Relief Valve Missing | Level 1 | Must be repaired or replaced |
| | Rust/Corrosion | Level 1 | Must be repaired or replaced |
| HVAC System | Convection/Radiant Heat System Covers Missing/Damaged | Level 1 | Must be repaired or replaced |
| | Inoperable | Level 1 | Must be repaired or replaced |
| | Misaligned Chimney/Ventilation System | Level 1 | Must be repaired or replaced |
| | Noisy/Vibrating/Leaking | Level 1 | Must be repaired or replaced |
| | Rust/Corrosion | Level 1 | Must be repaired or replaced |
| Kitchen | Cabinets - Missing/Damaged | Level 1 | Must be repaired or replaced |
| | Countertops - Missing/Damaged | Level 1 | Must be repaired or replaced |
| | Dishwasher/Garbage Disposal - Inoperable | Level 1 | Must be repaired or replaced |
| | Plumbing - Clogged Drains | Level 1 | Must be repaired or replaced |
| | Plumbing - Leaking Faucet/Pipes | Level 1 | Must be repaired or replaced |
| | Range Hood/Exhaust Fans - Excessive Grease/Inoperable | Level 1 | Must be repaired or replaced |
| | Range/Stove - Missing/Damaged/Inoperable | Level 1 | Must be repaired or replaced |
| | Refrigerator-Missing/Damaged/Inoperable | Level 1 | Must be repaired or replaced |

| Inspectable Item | Observable Deficiency | Degree of Deficiency | Required Mitigation |
|---------------------|--|----------------------|------------------------------|
| | Sink - Damaged/Missing | Level 1 | Must be repaired or replaced |
| Laundry Area (Room) | Dryer Vent - Missing/Damaged/Inoperable | Level 1 | Must be repaired or replaced |
| Lighting | Missing/Inoperable Fixture | Level 1 | Must be repaired or replaced |
| Outlets/Switches | Missing | Level 1 | Must be repaired or replaced |
| | Missing/Broken Cover Plates | Level 1 | Must be repaired or replaced |
| Patio/Porch/Balcony | Baluster/Side Railings Damaged | Level 1 | Must be repaired or replaced |
| Smoke Detector | Missing/Inoperable | Level 1 | Must be repaired or replaced |
| Stairs | Broken/Damaged/Missing Steps | Level 1 | Must be repaired or replaced |
| | Broken/Missing Hand Railing | Level 1 | Must be repaired or replaced |
| Walls | Bulging/Buckling | Level 1 | Must be repaired or replaced |
| | Damaged | Level 1 | Must be repaired or replaced |
| | Damaged/Deteriorated Trim | Level 1 | Must be repaired or replaced |
| | Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| | Water Stains/Water Damage/Mold/Mildew | Level 1 | Must be repaired or replaced |
| Windows | Cracked/Broken/Missing Panes | Level 1 | Must be repaired or replaced |
| | Damaged Window Sill | Level 1 | Must be repaired or replaced |
| | Missing/Deteriorated Caulking/Seals/Glazing Compound | Level 1 | Must be repaired or replaced |
| | Inoperable/Not Lockable | Level 1 | Must be repaired or replaced |
| | Peeling/Needs Paint | Level 1 | Must be repaired or replaced |
| | Security Bars Prevent Egress | Level 1 | Must be repaired or replaced |